

Best viewed and printed on legal size paper

ENERGY STAR Qualified High-Efficiency Gas Storage Water Heaters

Last Modified: 03/12/2012

Brand	Model	Fuel Type	Vent Type	Volume (gallons)	Tank Height (inches)	Height to Vent (inches)	Tank Diameter (inches)	Vent Size 1 (inches)	Vent Size 2 (inches)	Input (Thousand BTU per hour)	Energy Factor	Therms/year (Gas)	Gallons/year (Propane)	First Hour Rating (gallons per hour)	Recovery Efficiency (%)	Min Warranty-Tank (years)	Min Warranty-Parts (years)	Active	Active Date	Qualified Date
A. O. Smith	GCF 40 100	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
A. O. Smith	GCF 40 101	Propane	Atmospheric Vent	40	58.25	61.75	20	3	4	36	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
A. O. Smith	GCF 50 100	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
A. O. Smith	GCF 50 101	Propane	Atmospheric Vent	50	57.25	61	22	3	4	37	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
A. O. Smith	GCFL 40 10 0	Gas	Atmospheric Vent	40	47.75	51.5	22	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
A. O. Smith	GCFL 40 10 1	Propane	Atmospheric Vent	40	47.75	51.5	22	3	4	36	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
A.O. Smith	GAHH 40 10 0	Gas	Atmospheric Vent	40	58	61.75	20	3	0	40	0.7	214	0	70	79%	6	6	Yes	4/29/2010	4/29/2010
A.O. Smith	GAHH 50 10 0	Gas	Atmospheric Vent	50	57.13	60.63	22	3	0	40	0.7	214	0	81	79%	6	6	Yes	4/29/2010	4/29/2010
A.O. Smith	GPVR-40 10 0	Gas		40	55	63	20.5	3	0	40	0.67	224	0	70	82%	6	6	Yes	1/22/2009	1/22/2009
A.O. Smith	GPVR-40 10 1	Propane		40	55	63	20.5	3	0	40	0.67	0	246	70	82%	6	6	Yes	1/22/2009	1/22/2009
A.O. Smith	GPVR-50 10 0	Gas		50	56.8	65	22	3	0	40	0.67	224	0	83	82%	6	6	Yes	1/22/2009	1/22/2009
A.O. Smith	GPVR-50 10 1	Propane		50	56.8	65	22	3	0	40	0.67	0	246	83	82%	6	6	Yes	1/22/2009	1/22/2009
American	FDG6240S40 3N	Gas	Atmospheric Vent	40	49	55	22	3	4	40	0.67	0	0	67	76%	6	6	Yes	5/8/2011	5/5/2011
American	FDG6240S40 3P	Gas	Atmospheric Vent	40	49	55	22	3	4	36	0.67	0	0	67	76%	6	6	Yes	5/8/2011	5/5/2011
American	FDG6240T40 3NOV	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
American	FDG6240T40 3PV	Propane	Atmospheric Vent	40	58.25	61.75	20	3	4	37	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
American	FDG6250T40 3NOV	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
American	FDG6250T40 3PV	Propane	Atmospheric Vent	50	57.25	61	22	3	4	37	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
American	PCG6240T40 3NOV 100	Gas	Atmospheric Vent	40	58	61.75	20	3	0	40	0.7	214	0	70	79%	6	6	Yes	4/29/2010	4/29/2010
American	PCG6250T40 3NOV 100	Gas	Atmospheric Vent	50	57.13	60.63	22	3	0	40	0.7	214	0	81	79%	6	6	Yes	4/29/2010	4/29/2010
Apollo	A10 40 HRV IT L2 101	Propane		40	55	63	20.5	3	0	40	0.67	0	253	70	82%	10	6	Yes	1/28/2009	1/28/2009
Apollo	A10 40 YRV IT L2 100	Gas		40	55	63	20.5	3	0	40	0.67	230	0	70	82%	10	6	Yes	1/28/2009	1/28/2009
Apollo	A10 50 HRV IT L2 101	Propane		50	56.8	65	22	3	0	40	0.67	0	253	83	82%	10	6	Yes	1/28/2009	1/28/2009
Apollo	A10 50 YRV IT L2 100	Gas		50	56.8	65	22	3	0	40	0.67	230	0	83	82%	10	6	Yes	1/28/2009	1/28/2009
Apollo	A6 40 HRVIT L2 101	Propane		40	55	63	20.5	3	0	40	0.67	0	253	70	82%	6	6	Yes	1/22/2009	1/22/2009
Apollo	A6 40 YRVIT L2 100	Gas		40	55	63	20.5	3	0	40	0.67	230	0	70	82%	6	6	Yes	1/22/2009	1/22/2009
Apollo	A6 50 HRVIT L2 101	Propane		50	56.8	65	22	3	0	40	0.67	0	253	83	82%	6	6	Yes	1/22/2009	1/22/2009
Apollo	A6 50 YRVIT L2 100	Gas		50	56.8	65	22	3	0	40	0.67	230	0	83	82%	6	6	Yes	1/22/2009	1/22/2009

Bradford White Corporation	D4403S*FBN	Gas	Atmospheric Vent	40	48	55.8	22	3	0	38	0.67	224	0	72	78%	6	6	Yes	12/9/2009	12/9/2009
Bradford White Corporation	D4403S*FSX	Propane	Atmospheric Vent	40	48	55.8	22	3	0	38	0.67	0	245	72	78%	6	6	Yes	12/9/2009	12/9/2009
Bradford White Corporation	D4504S*FBN	Gas	Atmospheric Vent	50	57	64.5	22	3	0	40	0.67	224	0	86	78%	6	6	Yes	12/9/2009	12/9/2009
Bradford White Corporation	D4504S*FSX	Propane	Atmospheric Vent	50	57	64.5	22	3	0	40	0.67	0	245	86	78%	6	6	Yes	12/9/2009	12/9/2009
Bradford White Corporation	M4TW40T6FBN	Gas	Power Vent	40	57	67	20	2	3	40	0.67	224	0	72	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	M4TW40T6FSX	Propane	Power Vent	40	57	67	20	2	3	38	0.67	0	245	72	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	M4TW50T6FBN	Gas	Power Vent	50	57	67	22	2	3	40	0.67	224	0	86	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	M4TW50T6FSX	Propane	Power Vent	50	57	67	22	2	3	38	0.67	0	245	86	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	M4TW60T6FBN	Gas	Power Vent	60	57.5	68	24	2	3	40	0.67	224	0	98	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	M4TW60T6FSX	Propane	Power Vent	60	57.5	68	24	2	3	38	0.67	0	245	98	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	M4XRTW50T*FBN	Gas	Power Vent	48	56.5	66	22	3	4	65	0.67	224	0	108	78%	6	6	Yes	12/20/2010	12/20/2010
Bradford White Corporation	M4XRTW50T*FSX	Propane	Power Vent	48	56.5	66	22	3	4	58	0.67	0	245	108	78%	6	6	Yes	12/20/2010	12/20/2010
Bradford White Corporation	M4XRTW65T*FBN	Gas	Power Vent	65	59.5	69	24	3	4	67	0.67	224	0	120	78%	6	6	Yes	12/20/2010	12/20/2010
Bradford White Corporation	M4XRTW65T*FSX	Propane	Power Vent	65	59.5	69	24	3	4	60	0.67	0	245	120	78%	6	6	Yes	12/20/2010	12/20/2010
Bradford White Corporation	U4TW40T6FRN	Gas	Power Vent	40	57	67	20	2	3	40	0.67	224	0	72	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	U4TW50T6FRN	Gas	Power Vent	50	57	67	22	2	3	40	0.67	224	0	86	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	U4TW60T6FRN	Gas	Power Vent	60	57.5	68	24	2	3	40	0.67	224	0	98	78%	6	6	Yes	9/13/2010	9/13/2010
Bradford White Corporation	U4XRTW50T*FRN	Gas	Power Vent	48	56.5	66	22	3	4	56	0.67	224	0	99	78%	6	6	Yes	12/20/2010	12/20/2010
Bradford White Corporation	U4XRTW65T*FRN	Gas	Power Vent	65	59.5	69	24	3	4	56	0.67	224	0	110	78%	6	6	Yes	12/20/2010	12/20/2010
Craftmaster	FDG2F4040T3NOV	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Craftmaster	FDG2F4040T3PV	Propane	Atmospheric Vent	40	58.25	61.75	20	3	4	37	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Craftmaster	FDG2F5040T3NOV	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
Craftmaster	FDG2F5040T3PV	Propane	Atmospheric Vent	50	57.25	61	22	3	4	37	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
Craftmaster	FDG2H4040T3NOV	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	9	9	Yes	1/24/2011	1/14/2011
Craftmaster	FDG2H4040T3PV	Propane	Atmospheric Vent	40	58.25	61.75	20	3	4	37	0.67	0	0	67	79%	9	9	Yes	1/24/2011	1/14/2011
Craftmaster	FDG2H5040T3NOV	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	9	9	Yes	1/24/2011	1/14/2011
Craftmaster	FDG2H5040T3PV	Propane	Atmospheric Vent	50	57.25	61	22	3	4	37	0.67	0	0	81	79%	9	9	Yes	1/24/2011	1/14/2011
EcoSense	43V30-60RE 12	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011

EcoSense	43V30-60RE 6	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011
GE	GG40S06TVT	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
GE	GG40T06PVT	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/24/2010	9/24/2010
GE	GG50S06TVT	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
GE	GG50T06PVT	Gas	Power Vent	50	58	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
GE	GP40S06TVT	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
GE	GP40T06PVT	Propane	Power Vent	40	59	67.35	19.75	2	3	36	0.67	0	225	68	82%	6	6	Yes	9/24/2010	9/24/2010
GE	GP50S06TVT	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
GE	GP50T06PVT	Propane	Power Vent	50	58	66.38	21.75	2	3	42	0.67	0	225	87	84%	6	6	Yes	9/26/2010	9/26/2010
GE	PG40S09TVT	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
GE	PG50S09TVT	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
GE	PP40S09TVT	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
GE	PP50S09TVT	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
GE	SG40S12TVT	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
GE	SG50S12TVT	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
GE	SP40S12TVT	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
GE	SP50S12TVT	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
General Electric	GG40S06RVT	Gas	Power Vent	40	51.25	62.5	21.75	2	3	36	0.67	224	0	71	81%	6	6	Yes		10/18/2010
General Electric	GG40T06TVT	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
General Electric	GG40T06TXT	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
General Electric	GG50S06RVT	Gas	Power Vent	50	51.25	62.5	23.75	2	3	36	0.67	224	0	85	81%	6	6	Yes		10/18/2010
General Electric	GG50T06TVT	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
General Electric	GG50T06TXT	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
General Electric	GP40S06RVT	Propane	Power Vent	40	51.25	62.5	21.75	2	3	32	0.67	0	245	73	81%	6	6	Yes	10/26/2010	10/26/2010
General Electric	GP40T06TVT	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
General Electric	GP50S06RVT	Propane	Power Vent	50	51.25	62.5	23.75	2	3	32	0.67	0	245	87	81%	6	6	Yes	10/26/2010	10/26/2010
General Electric	GP50T06TVT	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
General Electric	PG40T09TVT	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
General Electric	PG40T09TXT	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
General Electric	PG50T09TVT	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
General Electric	PG50T09TXT	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
General Electric	PP40T09TVT	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
General Electric	PP50T09TVT	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
General Electric	SG40T12TVT	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
General Electric	SG40T12TXT	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
General Electric	SG50T12TVT	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
General Electric	SG50T12TXT	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010

General Electric	SP40T12TVT	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
General Electric	SP50T12TVT	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Giant	UG60-38MFP V1-P2U-US	Gas	Power Vent	60	56.5	66.625	23.5	3	2	38	0.67	219.14656	0	94	80%	6	6	Yes	11/1/2011	1/25/2012
Giant	UG60-40MFP V1-N2U-US	Gas	Power Vent	60	56.5	66.625	23.5	3	2	40	0.67	221.77748	0	94	78%	6	6	Yes	11/1/2011	1/25/2012
Kenmore	153.332620	Gas	Atmospheric Vent	40	58	61.75	20	3	0	40	0.7	214	0	70	79%	6	6	Yes	4/29/2010	4/29/2010
Kenmore	153.332640	Gas	Atmospheric Vent	50	57.13	60.63	22	3	0	40	0.7	214	0	81	79%	6	6	Yes	4/29/2010	4/29/2010
Kenmore	153.337021	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Kenmore	153.337041	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
Kenmore	409.7322	Gas	Atmospheric Vent	40	47.75	51.5	22	3	4	40	0.67	0	0	67	79%	12	12	Yes	1/24/2011	1/14/2011
Kenmore	409.7329	Gas	Atmospheric Vent	40	47.75	51.5	22	3	4	40	0.67	0	0	67	79%	9	9	Yes	1/24/2011	1/14/2011
POWERFLEX	PDVG6240T4 2NV	Gas	Power Direct Vent	40	58.6	66.9	20	2	0	42	0.67	224	0	67	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PDVG6240T4 2PV	Propane	Power Direct Vent	40	58.6	66.9	20	2	0	42	0.67	0	246	67	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PDVG6250T4 2NV	Gas	Power Direct Vent	50	57.4	65.6	22	2	0	42	0.67	224	0	81	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PDVG6250T4 2PV	Propane	Power Direct Vent	50	57.4	65.6	22	2	0	42	0.67	0	246	81	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PDVG6250T6 0NV	Gas	Power Direct Vent	50	57.4	65.6	22	3	0	60	0.67	224	0	87	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PDVG6250T6 0PV	Propane	Power Direct Vent	50	57.4	65.6	22	3	0	50	0.67	0	246	87	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PVG6240T42 NV	Gas	Power Vent	40	58.6	66.9	20	2	0	42	0.67	224	0	67	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PVG6240T42 PV	Propane	Power Vent	40	58.6	66.9	20	2	0	42	0.67	0	246	67	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PVG6250T42 NV	Gas	Power Vent	50	57.4	65.6	22	2	0	42	0.67	224	0	81	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PVG6250T42 PV	Propane	Power Vent	50	57.4	65.6	22	2	0	42	0.67	0	246	81	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PVG6250T60 NV	Gas	Power Vent	50	57.4	65.6	22	3	0	60	0.67	224	0	87	76%	6	6	Yes	1/22/2009	1/22/2009
POWERFLEX	PVG6250T60 PV	Propane	Power Vent	50	57.4	65.6	22	3	0	50	0.67	0	246	87	76%	6	6	Yes	1/22/2009	1/22/2009
Reliance	12 40GPC T 100	Gas	Atmospheric Vent	40	58	61.75	20	3	0	40	0.7	214	0	70	79%	12	12	Yes	4/29/2010	4/29/2010
Reliance	12 50GPC T 100	Gas	Atmospheric Vent	50	57.13	60.63	22	3	0	40	0.7	214	0	81	79%	12	12	Yes	4/29/2010	4/29/2010
Reliance	6 40GBF S 100	Gas	Atmospheric Vent	40	47.75	51.5	22	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Reliance	6 40GBF T 100	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Reliance	6 40LBF S 101	Propane	Atmospheric Vent	40	47.75	51.5	22	3	4	36	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Reliance	6 40LBF T 101	Propane	Atmospheric Vent	40	58.25	61.75	20	3	4	36	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Reliance	6 50GBF T 100	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
Reliance	6 50LBF T 101	Propane	Atmospheric Vent	50	57.25	61	22	3	4	37	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
Reliance	9 40GKF S 100	Gas	Atmospheric Vent	40	47.75	51.5	22	3	4	40	0.67	0	0	67	79%	9	9	Yes	1/24/2011	1/14/2011
Reliance	9 40GKF T 100	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	9	9	Yes	1/24/2011	1/14/2011
Reliance	9 40LKF S 101	Propane	Atmospheric Vent	40	47.75	51.5	22	3	4	36	0.67	0	0	67	79%	9	9	Yes	1/24/2011	1/14/2011
Reliance	9 40LKF T 101	Propane	Atmospheric Vent	40	58.25	61.75	20	3	4	36	0.67	0	0	67	79%	9	9	Yes	1/24/2011	1/14/2011
Reliance	9 50GKF T 100	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	9	9	Yes	1/24/2011	1/14/2011
Reliance	9 50LKF T 101	Propane	Atmospheric Vent	50	57.25	61	22	3	4	37	0.67	0	0	81	79%	9	9	Yes	1/24/2011	1/14/2011

Rheem	23V40NE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Rheem	23V50NE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Rheem	23X40NE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Rheem	23X50NE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Rheem	42VP40FN	Gas	Power Vent	40	60	69.75	21	2	3	36	0.67	224	0	72	79%	6	6	Yes	4/30/2010	4/30/2010
Rheem	42VP50FN	Gas	Power Vent	50	59.75	69.5	23	2	3	38	0.67	224	0	94	80%	6	6	Yes	4/30/2010	4/30/2010
Rheem	43V30-60	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011
Rheem	43V40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Rheem	43V40PE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Rheem	43V40SE2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43V40SPE2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43V50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43V50E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Rheem	43V50PE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Rheem	43V50SE2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43V50SPE2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43VP40E2	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/24/2010	9/24/2010
Rheem	43VP40E2-E	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/26/2010	9/26/2010
Rheem	43VP40PE2	Propane	Power Vent	40	59	67.35	19.75	2	3	36	0.67	0	225	68	82%	6	6	Yes	9/24/2010	9/24/2010
Rheem	43VP40PE2-E	Propane	Power Vent	40	59	67.35	19.75	2	3	36	0.67	0	225	68	82%	6	6	Yes	9/26/2010	9/26/2010
Rheem	43VP40SE2	Gas	Power Vent	40	51.25	62.5	21.75	2	3	36	0.67	224	0	71	81%	6	6	Yes		10/18/2010
Rheem	43VP40SE2-E	Gas	Power Vent	40	51.25	62.5	21.75	2	3	36	0.67	224	0	71	81%	6	6	Yes		10/18/2010
Rheem	43VP40SPE2	Propane	Power Vent	40	51.25	62.5	21.75	2	3	32	0.67	0	245	73	81%	6	6	Yes	10/26/2010	10/26/2010
Rheem	43VP40SPE2-E	Propane	Power Vent	40	51.25	62.5	21.75	2	3	32	0.67	0	245	73	81%	6	6	Yes	10/26/2010	10/26/2010
Rheem	43VP50E2	Gas	Power Vent	50	58	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Rheem	43VP50E2-E	Gas	Power Vent	50	59	66.38	21.75	2	3	42	0.67	225	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Rheem	43VP50PE2	Propane	Power Vent	50	58	66.38	21.75	2	3	42	0.67	0	225	87	84%	6	6	Yes	9/26/2010	9/26/2010
Rheem	43VP50PE2-E	Propane	Power Vent	50	59	66.38	21.75	2	3	36	0.67	0	225	87	84%	6	6	Yes	9/26/2010	9/26/2010
Rheem	43VP50SE2	Gas	Power Vent	50	51.25	62.5	23.75	2	3	36	0.67	224	0	85	81%	6	6	Yes		10/18/2010
Rheem	43VP50SE2-E	Gas	Power Vent	50	51.25	62.5	23.75	2	3	36	0.67	224	0	85	81%	6	6	Yes		10/18/2010
Rheem	43VP50SPE2	Propane	Power Vent	50	51.25	62.5	23.75	2	3	32	0.67	0	245	87	81%	6	6	Yes	10/26/2010	10/26/2010
Rheem	43VP50SPE2-E	Propane	Power Vent	50	51.25	62.5	23.75	2	3	32	0.67	0	245	87	81%	6	6	Yes	10/26/2010	10/26/2010
Rheem	43X40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Rheem	43X40PE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Rheem	43X40SE2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43X40SPE2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43X50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43X50E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Rheem	43X50PE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Rheem	43X50SE2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Rheem	43X50SPE2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Rheem	PDV40	Gas	Power Direct Vent	40	60.3	68.5	19.8	2	3	40	0.67	224	0	73	76%	6	6	Yes	12/2/2009	12/2/2009
Rheem	PDV40P	Propane	Power Direct Vent	40	60.3	68.5	19.8	2	3	40	0.67	0	245	73	76%	6	6	Yes	12/2/2009	12/2/2009

Rheem	PDV50	Gas	Power Direct Vent	50	59.4	67.6	21.8	2	3	50	0.67	224	0	93	76%	6	6	Yes	12/2/2009	12/2/2009
Rheem	PDV50P	Propane	Power Direct Vent	50	59.4	67.6	21.8	3	3	50	0.67	0	245	93	76%	6	6	Yes	12/2/2009	12/2/2009
Rheem	PRO40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Rheem	PRO40NE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Rheem	PRO40PE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Rheem	PRO40SE2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Rheem	PRO40SPE2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Rheem	PRO50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Rheem	PRO50E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Rheem	PRO50NE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Rheem	PRO50PE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Rheem	PRO50SE2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Rheem	PRO50SPE2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Rheem	RHPRO30-60	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011
Richmond	12G30-60	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011
Richmond	12G40-36NE 2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Richmond	12G40-36PE 2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Richmond	12G40-40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Richmond	12G40S-36P E2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Richmond	12G40S-40E 2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Richmond	12G50-36NE 2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Richmond	12G50-36PE 2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Richmond	12G50-40E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Richmond	12G50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Richmond	12G50S-36P E2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Richmond	12G50S-40E 2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Richmond	6G30-60	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011
Richmond	6G40-36NE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Richmond	6G40-36PE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Richmond	6G40-40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Richmond	6G40PDV-40	Gas	Power Direct Vent	40	60.3	68.5	19.8	2	3	40	0.67	224	0	73	76%	6	6	Yes	12/2/2009	12/2/2009
Richmond	6G40PDVP-3 8	Propane	Power Direct Vent	40	60.3	68.5	19.8	2	3	40	0.67	0	245	73	76%	6	6	Yes	12/2/2009	12/2/2009
Richmond	6G40PV-36F N	Gas	Power Vent	40	60	69.75	21	2	3	36	0.67	224	0	72	79%	6	6	Yes	4/30/2010	4/30/2010
Richmond	6G40S-36PE 2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Richmond	6G40S-40E2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Richmond	6G50-36NE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010

Richmond	6G50-36PE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Richmond	6G50-40E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Richmond	6G50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Richmond	6G50PDV-40	Gas	Power Direct Vent	50	59.4	67.6	21.8	2	3	50	0.67	224	0	93	76%	6	6	Yes	12/2/2009	12/2/2009
Richmond	6G50PDVP-4 0	Propane	Power Direct Vent	50	59.4	67.6	21.8	3	3	50	0.67	0	245	93	76%	6	6	Yes	12/2/2009	12/2/2009
Richmond	6G50PV-38F N	Gas	Power Vent	50	59.75	69.5	23	2	3	38	0.67	224	0	94	80%	6	6	Yes	4/30/2010	4/30/2010
Richmond	6G50S-36PE 2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Richmond	6G50S-40E2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Richmond	6GR40PV36E 2	Gas	Power Vent	40	51.25	62.5	21.75	2	3	36	0.67	224	0	71	81%	6	6	Yes		10/18/2010
Richmond	6GR40PVE2-36P	Propane	Power Vent	40	59	67.35	19.75	2	3	36	0.67	0	225	68	82%	6	6	Yes	9/24/2010	9/24/2010
Richmond	6GR40PVE2-36PE	Propane	Power Vent	40	59	67.35	19.75	2	3	36	0.67	0	225	68	82%	6	6	Yes	9/26/2010	9/26/2010
Richmond	6GR40PVE2-40	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/24/2010	9/24/2010
Richmond	6GR40PVE2-40E	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	84%	6	6	Yes	9/26/2010	9/26/2010
Richmond	6GR40SPV32 PE2	Propane	Power Vent	40	51.25	62.5	21.75	2	3	32	0.67	0	245	73	81%	6	6	Yes	10/26/2010	10/26/2010
Richmond	6GR40SPVE2 -32P	Propane	Power Vent	40	51.25	62.5	21.75	2	3	32	0.67	0	245	73	81%	6	6	Yes	10/26/2010	10/26/2010
Richmond	6GR40SPVE2 -36	Gas	Power Vent	40	51.25	62.5	21.75	2	3	36	0.67	224	0	71	81%	6	6	Yes		10/18/2010
Richmond	6GR50PV36E 2	Gas	Power Vent	50	51.25	62.5	23.75	2	3	36	0.67	224	0	85	81%	6	6	Yes		10/18/2010
Richmond	6GR50PVE2-42	Gas	Power Vent	50	58	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Richmond	6GR50PVE2-42E	Gas	Power Vent	50	59	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Richmond	6GR50PVE2-42P	Propane	Power Vent	50	58	66.38	21.75	2	3	42	0.67	0	225	87	84%	6	6	Yes	9/26/2010	9/26/2010
Richmond	6GR50PVE2-42PE	Propane	Power Vent	50	59	66.38	21.75	2	3	42	0.67	0	225	87	84%	6	6	Yes	9/26/2010	9/26/2010
Richmond	6GR50SPV32 PE2	Propane	Power Vent	50	51.25	62.5	23.75	2	3	32	0.67	0	245	87	81%	6	6	Yes	10/26/2010	10/26/2010
Richmond	6GR50SPVE2 -32P	Propane	Power Vent	50	51.25	62.5	23.75	2	3	32	0.67	0	245	87	81%	6	6	Yes	10/26/2010	10/26/2010
Richmond	6GR50SPVE2 -36	Gas	Power Vent	50	51.25	62.5	23.75	2	3	36	0.67	224	0	85	81%	6	6	Yes		10/18/2010
Richmond	9G40-36NE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Richmond	9G40-36PE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Richmond	9G40-40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Richmond	9G40S-36PE 2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Richmond	9G40S-40E2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Richmond	9G50-36NE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Richmond	9G50-36PE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Richmond	9G50-40E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Richmond	9G50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Richmond	9G50S-36PE 2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Richmond	9G50S-40E2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Ruud	M40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Ruud	M40NE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010

Ruud	M40PE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Ruud	M40SE2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Ruud	M40SPE2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Ruud	M50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Ruud	M50E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Ruud	M50NE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Ruud	M50PE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Ruud	M50SE2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Ruud	M50SPE2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P30-60	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011
Ruud	P40E2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Ruud	P40NE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Ruud	P40PE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Ruud	P40PROE2	Gas	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	217	0	68	81%	6	6	Yes		10/18/2010
Ruud	P40PRONE2	Gas	Atmospheric Vent	36	60	65	21	3	4	36	0.68	220	0	71	80%	6	6	Yes		10/15/2010
Ruud	P40PROPE2	Propane	Atmospheric Vent	40	57.75	62.75	19.75	3	4	40	0.69	0	238	68	81%	6	6	Yes		10/18/2010
Ruud	P40PROSE2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P40PROSPE2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P40SE2	Gas	Atmospheric Vent	40	50.5	52.2	21.75	3	0	40	0.67	224	0	72	78%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P40SPE2	Propane	Atmospheric Vent	40	50.5	52.2	21.75	3	0	36	0.67	0	245	72	78%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P50-50E2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P50E2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes		10/15/2010
Ruud	P50NE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Ruud	P50PE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes		10/15/2010
Ruud	P50PRO-50E 2	Gas	Atmospheric Vent	50	58	59.7	21.75	4	0	50	0.67	224	0	87	80%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P50PROE2	Gas	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	224	0	84	81%	6	6	Yes	10/15/2010	10/15/2010
Ruud	P50PRONE2	Gas	Atmospheric Vent	48	59.75	64.75	23	3	4	36	0.68	220	0	93	83%	6	6	Yes		10/15/2010
Ruud	P50PROPE2	Propane	Atmospheric Vent	50	58	63	21.75	3	4	40	0.67	0	245	84	81%	6	6	Yes	10/15/2010	10/15/2010
Ruud	P50PROSE2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P50PROSPE2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P50SE2	Gas	Atmospheric Vent	50	50.5	52.2	23.75	3	0	40	0.67	224	0	89	79%	6	6	Yes	9/23/2010	9/23/2010
Ruud	P50SPE2	Propane	Atmospheric Vent	50	50.5	52.2	23.75	3	0	36	0.67	0	245	89	79%	6	6	Yes	9/23/2010	9/23/2010
Ruud	PVP40E2	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/24/2010	9/24/2010
Ruud	PVP40E2-E	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/26/2010	9/26/2010
Ruud	PVP40FN	Gas	Power Vent	40	60	69.75	21	2	3	36	0.67	224	0	72	79%	6	6	Yes	4/30/2010	4/30/2010
Ruud	PVP40PE2	Propane	Power Vent	40	59	67.35	19.75	2	3	36	0.67	0	225	68	82%	6	6	Yes	9/24/2010	9/24/2010
Ruud	PVP40PE2-E	Propane	Power Vent	40	59	67.35	19.75	2	3	36	0.67	0	225	68	82%	6	6	Yes	9/26/2010	9/26/2010
Ruud	PVP40SE2	Gas	Power Vent	40	51.25	62.5	21.75	2	3	36	0.67	224	0	71	81%	6	6	Yes		10/18/2010

Ruud	PVP40SE2-E	Gas	Power Vent	40	51.25	62.5	21.75	2	3	36	0.67	224	0	71	81%	6	6	Yes		10/18/2010
Ruud	PVP40SPE2	Propane	Power Vent	40	51.25	62.5	21.75	2	3	32	0.67	0	245	73	81%	6	6	Yes	10/26/2010	10/26/2010
Ruud	PVP40SPE2-E	Propane	Power Vent	40	51.25	62.5	21.75	2	3	32	0.67	0	245	73	81%	6	6	Yes	10/26/2010	10/26/2010
Ruud	PVP50E2	Gas	Power Vent	50	58	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Ruud	PVP50E2-E	Gas	Power Vent	50	59	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Ruud	PVP50FN	Gas	Power Vent	50	59.75	69.5	23	2	3	38	0.67	224	0	94	80%	6	6	Yes	4/30/2010	4/30/2010
Ruud	PVP50PE2	Propane	Power Vent	50	58	66.38	21.75	2	3	42	0.67	0	225	87	84%	6	6	Yes	9/26/2010	9/26/2010
Ruud	PVP50PE2-E	Propane	Power Vent	50	59	66.38	21.75	2	3	42	0.67	0	225	87	84%	6	6	Yes	9/26/2010	9/26/2010
Ruud	PVP50SE2	Gas	Power Vent	50	51.25	62.5	23.75	2	3	36	0.67	224	0	85	81%	6	6	Yes		10/18/2010
Ruud	PVP50SE2-E	Gas	Power Vent	50	51.25	62.5	23.75	2	3	36	0.67	224	0	85	81%	6	6	Yes		10/18/2010
Ruud	PVP50SPE2	Propane	Power Vent	50	51.25	62.5	23.75	2	3	32	0.67	0	245	87	81%	6	6	Yes	10/26/2010	10/26/2010
Ruud	PVP50SPE2-E	Propane	Power Vent	50	51.25	62.5	23.75	2	3	32	0.67	0	245	87	81%	6	6	Yes	10/26/2010	10/26/2010
Ruud	RU PDV40	Gas	Power Direct Vent	40	60.3	68.5	19.8	2	3	40	0.67	224	0	73	76%	6	6	Yes	12/2/2009	12/2/2009
Ruud	RU PDV40P	Propane	Power Direct Vent	40	60.3	68.5	19.8	2	3	40	0.67	0	245	73	76%	6	6	Yes	12/2/2009	12/2/2009
Ruud	RU PDV50	Gas	Power Direct Vent	50	59.4	67.6	21.8	2	3	50	0.67	224	0	93	76%	6	6	Yes	12/2/2009	12/2/2009
Ruud	RU PDV50P	Propane	Power Direct Vent	50	59.4	67.6	21.8	3	3	50	0.67	0	245	93	76%	6	6	Yes	12/2/2009	12/2/2009
Ruud	RUPRO30-60	Gas	Atmospheric Vent	29	59	63.5	17.75	3	4	60	0.7	214	0	90	81%	6	6	Yes	6/20/2011	5/24/2011
State	GP 6 40YPC T 100	Gas	Atmospheric Vent	40	58	61.75	20	3	0	40	0.7	214	0	70	79%	6	6	Yes	4/29/2010	4/29/2010
State	GP 6 50YPC T 100	Gas	Atmospheric Vent	50	57.13	60.63	22	3	0	40	0.7	214	0	81	79%	6	6	Yes	4/29/2010	4/29/2010
State	GS 6 40HBF S 101	Propane	Atmospheric Vent	40	47.75	51.5	22	3	4	36	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
State	GS 6 40HBF T 101	Propane	Atmospheric Vent	40	58.25	61.75	20	3	4	36	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
State	GS 6 40YBF S 100	Gas	Atmospheric Vent	40	47.75	51.5	22	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
State	GS 6 40YBF T 100	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
State	GS 6 50HBF T 101	Propane	Atmospheric Vent	50	57.25	61	22	3	4	37	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
State	GS 6 50YBF T 100	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	6	6	Yes	1/24/2011	1/14/2011
State	GS6 40 HBV JT 2 101	Propane		40	55	63	20.5	3	0	40	0.67	0	246	70	82%	6	6	Yes	1/23/2009	1/23/2009
State	GS6 40 YBV JT 2 100	Gas		40	55	63	20.5	3	0	40	0.67	224	0	70	82%	6	6	Yes	1/26/2009	1/26/2009
State	GS6 50 HBV JT 2 101	Propane		50	56.8	65	22	3	0	40	0.67	0	246	83	82%	6	6	Yes	1/26/2009	1/26/2009
State	GS6 50 YBV JT 2 100	Gas		50	56.8	65	22	3	0	40	0.67	224	0	83	82%	6	6	Yes	1/26/2009	1/26/2009
U.S. Craftmaster	FDG2F4040S 3N	Gas	Atmospheric Vent	40	49	55	22	3	4	40	0.67	0	0	67	76%	6	6	Yes	5/8/2011	5/5/2011
U.S. Craftmaster	FDG2F4040S 3P	Gas	Atmospheric Vent	40	49	55	22	3	4	36	0.67	0	0	67	76%	6	6	Yes	5/8/2011	5/5/2011
U.S. Craftmaster	FDG2H4040S 3N	Gas	Atmospheric Vent	40	49	55	22	3	4	40	0.67	0	0	67	76%	9	9	Yes	5/8/2011	5/5/2011
U.S. Craftmaster	FDG2H4040S 3P	Gas	Atmospheric Vent	40	49	55	22	3	4	36	0.67	0	0	67	76%	9	9	Yes	5/8/2011	5/5/2011
USCraftmaster	PCG2J4040T 3NOV 100	Gas	Atmospheric Vent	40	58	61.75	20	3	0	40	0.7	214	0	70	79%	12	12	Yes	4/29/2010	4/29/2010
USCraftmaster	PCG2J5040T 3NOV 100	Gas	Atmospheric Vent	50	57.13	60.63	22	3	0	40	0.7	214	0	81	79%	12	12	Yes	4/29/2010	4/29/2010
Vanguard	6FGV1	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/26/2010	9/26/2010
Vanguard	6FGV2	Gas	Power Vent	50	59	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Vanguard	6FGV3	Gas	Power Vent	40	59	67.35	19.75	2	3	40	0.67	224	0	68	82%	6	6	Yes	9/24/2010	9/24/2010
Vanguard	6FGV4	Gas	Power Vent	50	58	66.38	21.75	2	3	42	0.67	224	0	87	84%	6	6	Yes	9/26/2010	9/26/2010
Whirlpool	ND40T62-40 3	Gas	Atmospheric Vent	40	58.25	61.75	20	3	4	40	0.67	0	0	67	79%	6	6	Yes	1/24/2011	1/14/2011
Whirlpool	ND50T122-4 03	Gas	Atmospheric Vent	50	57.25	61	22	3	4	40	0.67	0	0	81	79%	12	12	Yes	1/24/2011	1/14/2011
Whirlpool	PCG2J4040T 3NOV 100	Gas	Atmospheric Vent	40	58	61.75	20	3	0	40	0.7	214	0	70	79%	12	12	Yes	4/29/2010	4/29/2010

Whirlpool	PCG2J5040T 3NOV 100	Gas	Atmospheric Vent	50	57.13	60.63	22	3	0	40	0.7	214	0	81	79%	12	12	Yes	4/29/2010	4/29/2010
-----------	------------------------	-----	---------------------	----	-------	-------	----	---	---	----	-----	-----	---	----	-----	----	----	-----	-----------	-----------

